



Gaston County

Gaston County
Board of Commissioners
www.gastongov.com

Fire Marshal Board Action

File #: 19-276

Commissioner Chad Brown - Fire Marshal - To Approve the Transfer of Accumulated Funds Realized from Past Tax Collections, Revaluation, Interest Earned, Etc. to Union Road Volunteer Fire Department, Inc. **(\$43,005)**

STAFF CONTACT

Eric Hendrix - Fire Marshal - 704-866-3231

BUDGET IMPACT

These transfers are keeping within current policy to transfer accumulated funds.

BUDGET ORDINANCE IMPACT

Transferring accumulated funds from Fund Balance Appropriated Account to Union Road Volunteer Fire Department, Inc.

BACKGROUND

On occasion funds accumulate in fire district taxing accounts through the realization of past taxes being collected, property revaluation between budgets and account interest earned. This action will transfer such accumulated funds to Union Road Volunteer Fire Department, Inc. Chief Craig Huffstetler presented a spending plan and Union Road Volunteer Fire Department, Inc.'s request for approval to ask the Commissioners to release \$43,005 of their reserve funds to them. Union Road will use the reserve funds to purchase a breathing air compressor and to pay for the electrical work associated with installing it. Ted Hendrix made a motion to recommend to the Commissioners that they release \$43,005 reserve funds to Union Road Volunteer Fire Department, Inc. Matt Kanupp seconded the motion. There was no further discussion or opposition. The vote was unanimous. The motion carried.

POLICY IMPACT

N/A

ATTACHMENTS

Budget Change Request and Request for Reserve Funds - Union Road VFD, Inc.

DO NOT TYPE BELOW THIS LINE

I, Donna S. Buff, Clerk to the County Commission, do hereby certify that the above is a true and correct copy of action taken by the Board of Commissioners as follows:

| NO. | DATE | M1 | M2 | CBrown | JBrown | AFraley | BHovis | TKelgher | TPhillips | RDorsey | Vote |
|----------|------------|----|----|--------|--------|---------|--------|----------|-----------|---------|------|
| 2019-205 | 07/23/2019 | BH | RW | A | AB | AB | A | A | A | A | U |

DISTRIBUTION:

Laserfiche Users

A=AYE, N=NAY, AB=ABSENT, ABS=ABSTAIN, U=UNANIMOUS

GASTON COUNTY BUDGET CHANGE REQUEST

TO: Earl Mathers COUNTY MANAGER

FROM: 4330 Fire Marshal
 Dept. # Department Name

Eric H. Hendrix 06/19/2019
 Department Director's Name Date

TYPE OF REQUEST:

☐ Line Item Transfer Within Department & Fund

☐ Line Item Transfer Between Funds *

☐ Project Transfer Within Department & Fund

☒ Additional Appropriation of Funds *

☐ Line Item Transfer Between Departments *

* Requires resolution by the Board of Commissioners

| ACCOUNT DESCRIPTION (As it appears in the budget) | ACCOUNT NUMBER <small>Fund - Function - Dept - Division - Object - Project</small> xxx - xx - xxxx - xxxx - xxxxx - xxxxxx | AMOUNT Whole Dollars Only (See Note Below) |
|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Fund Balance Appropriated *Additional Subsidies (A/S) | 028-99-9900-0000-490000 | (43,005) |
| Union Road Volunteer Fire Dept., Inc. | 028-02-4418-0000-570007 | 43,005 |

JUSTIFICATION FOR REQUEST:

Chief Craig Huffstetler presented a spending plan (attached) at the Gaston County Fire Advisory Board meeting on 6/5/19 and Union Road Volunteer Fire Department, Inc.'s request for approval to ask the Commissioners to release \$43,005 of their reserve funds to them. Union Road will use the reserve funds to purchase a breathing air compressor and to pay for the electrical work associated with installing it. Ted Hendrix made a motion to recommend to the Commissioners that they release \$43,005 reserve funds to Union Road Volunteer Fire Department, Inc. Matt Kanupp seconded the motion. There was no further discussion or opposition. The vote was unanimous. The motion carried.

Note: Decreases in expenditures & increases in revenue accounts require brackets. Increases in expenditures & decreases in revenue do not require brackets. Please note that transfers between funds require interfund transfer accounts.



**UNION ROAD VOLUNTEER
FIRE DEPARTMENT, INC.**

4060 UNION ROAD
GASTONIA, N. C. 28056

To: Gaston County Fire Advisory Board

From: Chief Craig Huffstetler

All,

Union Road VFD is requesting the use of funds from our overage account. Our intention is to purchase a breathing air compressor for our station. We are currently in the process of spec'ing a new rescue pumper and this truck will not have a cascade system on it as our current one does. The compressor will be purchased and installed through Safe Air Systems. I have attached the specifications of the compressor along with the quote for the compressor and electrical work. The total cost of the compressor is \$39,505 and the required electrical work is \$1500. This item was presented to and approved by our Board of Directors on May 23rd. As it currently stands our overage amount is at \$90,655.62. Thank you for your time and consideration.

Craig Huffstetler
Fire Chief
Union Road VFD
Urvfd5100@yahoo.com
980-522-1525

M A Cowart Electric

Licensed and Insured

569 Crowders Creek Rd
Gastonia, NC 28052
704-678-8728

INVOICE # 1122

DATE: 5/20/19

EXPIRATION DATE DATE

TO Craig Huffstetler
Union Road VFD
4060 Union Road
Gastonia, NC 28056
980-522-1525

| SALESPERSON | JOB | PAYMENT TERMS | DUE DATE |
|-------------|-----|----------------|----------|
| | | Due on receipt | |

| QTY | DESCRIPTION | UNIT PRICE | LINE TOTAL |
|-----------|---------------------------------------------------|------------|------------|
| | Conduit Run, Set panel, leave whip for connection | | 1500.00 |
| | Wire into main panel | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| SUBTOTAL | | | |
| SALES TAX | | | |
| TOTAL | | | 1500 |

Quotation prepared by: _____

This is a quotation on the goods named, subject to the conditions noted below: Describe any conditions pertaining to these prices and any additional terms of the agreement. You may want to include contingencies that will affect the quotation.

To accept this quotation, sign here and return: _____

THANK YOU FOR YOUR BUSINESS!



a Subsidiary of Breathing Air Systems

THE NATION'S LARGEST DISTRIBUTOR OF **BAUER**
COMPRESSORS



210 Labrador Dr.
Randleman, NC 27317

Quote

Order Number: 0073073
Order Date: 4/9/2019
Customer Number: 07-EQ

Sold To:
UNION ROAD VOLUNTEER FD
4060 UNION ROAD
Gastonla, NC 28056

Ship To:
UNION ROAD VOLUNTEER FD
4060 UNION ROAD
Gastonla, NC 28056

Confirm To: CHIEF HUFFSTETLER

PO#:

Terms: Credit Card

Salesperson: Ricky Lee

Quantity Item Code

1 LEGACY 13 VERTECON 13CFM 6KPSI 10HP

VERTECON 13CFM 6KPSI 10HP

Bauer Open Vertical Compressor/Purifier configured for 13.0 scfm, 6000 psig, 4-stage compressor, 10 hp, phase motor and 67,000 scf capacity purifier, integrated purification system that meets NFPA 1989 requirements for firefighting and CGA Grade E air for SCUBA, purifier includes steel mechanical separator chamber, as well as purifier safety vent port to prevent operating system w/o cartridge. Standard with Bauer long-life, well-cooled, oil-pressure lubricated compressor block with stainless steel intercoolers, high-temperature & low oil pressure shutdowns. Mounted pressure gauges for oil, final stage and purifier. Includes PLC with touch pad controller with full color display, lighted on/off switch, hour meter, emergency stop button, safety over-time timer, motor controls/protection and UL-rated electrics.

AUTO CONDENSATE DRAIN SYSTEM

-Timed automatic drain, Includes silencer and collection reservoir and user display indicator if "full".

MTD INTERSTAGE PRESSURE GAUGES

SECURUS PURIFIER MONITOR SYSTEM

- Built-in, continuous monitor for purification cartridges.

- Includes user display indicators for "safe", "high moisture", "cartridges expired" and "contact fault".

- Automatic system shutdown for faults; fail-safe (can not be over-ridden); no warm up required.

- Can extend the purifier cartridge's useable life.

1 26-SASCO-24V PNL MOUNTED CO. MONITOR 24V

1 OUTV-KIT/VERT COMP OUTLET VLV KIT



a Subsidiary of Breathing Air Systems

info@safearsystems.com | sales@breathingair.com



QUOTE #: 0073073

Page 2 of 3

| | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| 1 | CFS5.5-2S | Fill Station - Bauer - Class 2 |
| | Fill Station - Bauer - Class 2 - 2 position fill station with control valve-adjustable regulator- relief valve, manual control valve and pressure gauge for each fill position. NFPA 1901 compliant. 5500 psi fill pressure. | |
| 1 | DFTM/CSCD | Order Only Dual Function top mo |
| | Order Only Dual Function top mount | |
| 1 | FLUSH | NO TILT FLUSH MNT PANEL |
| 5 | CTX44 | ELBOW, MALE CON #4MJIC X 1/4MP |
| 4 | 90-UN-6000A | CYLINDER, UN 6000 PSI |
| 4 | CYL-ELB-702 | CGA FITTING/ELBOW FOR 6K |
| 4 | 94-B996GALV | UNI-STRUT PER FOOT 13/16" GAL |
| | UNI-STRUT PER FOOT 13/16" GALV | |
| 4 | 95-C105-93/8 | CLAMPS, 9 3/8" |
| 2 | 50-BA003-3E | BREATHING AIR HOSE 3' |
| 2 | 50-BA004-3E | BREATHING AIR HOSE 4' |
| 1 | 50-BA010-3E | BREATHING AIR HOSE 10' |
| 1 | REMOTAIRINTAKE | REMOTE AIR INTAKE |
| 1 | /AIRTEST-SINLOL-NC | LAB ON LOCALE, |
| 1 | /FREIGHT | FREIGHT |
| 2 | /SHOP LABOR - NC | SHOP LABOR - NC |
| 200 | /MILEAGE | MILEAGE |
| 4 | /TRAVEL LABOR NC | TRAVEL LABOR NC |
| 4 | /FIELD LABOR - NC | FIELD LABOR SAS PER HOUR |



a Subsidiary of Breathing Air Systems

info@safearsystems.com | sales@breathingair.com



QUOTE #: 0073073

Page 3 of 3

THIS QUOTE IS FOR A BAUER LEGACY 13 COMPRESSOR, 13 CFM, 6000 PSI, 10 HP SINGLE OR THREE PHASE MOTOR AND CO MONITOR.

BAUER CFS5.5-2S TWO POSITION CONTAINMENT FILL STATION WITH 4 BANK AIR CONTROL PANEL. INCLUDES BANK GAUGES AND LINE VALVES, SUPPLY GAUGE, 0-6000 PSI ADJUSTABLE REGULATOR, REGULATED PRESSURE GAUGE, (2) FILL VALVES AND (2) FILL PRESSURE GAUGES. FILL STATION IS NFPA 1901 COMPLIANT.

(4) 6000 PSI UN STORAGE CYLINDERS, 509 CU FT PER CYLINDER, WITH CGA FITTINGS AND HOSE'S TO CONNECT TO AIR CONTROL PANEL. INCLUDES UNI-STRUT & CLAMPS TO SECURE CYLINDERS TO THE WALL. UN CYLINDERS HAVE TO BE RECERTIFIED EVERY 10 YEARS.

WE WILL INSTALL A REMOTE AIR INTAKE ON THE COMPRESSOR UNIT. **** CUSTOMER TO HAVE A HOLE IN THE SIDE OF FIRE STATION FOR USE TO RUN THE PVC TROUGH, APPROX SIZE OF THE HOLE IS 1 1/2 TO 2 INCH PIPE. WE WILL VERIFY THE PIPE SIZE BEFORE YOU BREACH THE WALL.

PRICE INCLUDES DELIVERY & INSTALLATION OF THE EQUIPMENT ON THIS QUOTE. WE WILL PULL A ONE TIME AIR TEST AT TIME OF START-UP AND GIVE USER TRAINING AT THAT TIME.

*** CUSTOMER TO PROVIDE SUITABLE ELECTRICAL SUPPLY FOR THE UNIT TO INCLUDE WALL MOUNT DISCONNECT & PIGTAIL. (PIGTAIL CONSIST OF 10 FT OF FLEX CONDUIT & 18 FT OF WIRE) SAFE AIR WILL MAKE FINAL CONNECTION TO THE UNIT.

| | |
|----------------|-----------|
| Net Order: | 39,505.00 |
| Less Discount: | 0.00 |
| Freight: | 0.00 |
| Sales Tax: | 0.00 |
| Order Total: | 39,505.00 |

Sales Department

Order Acceptance

Sign: _____

Date: _____

Title: _____

PO#: _____